



2025 CATALOG



NL LOCK

MANUFACTURER

*Fewer Parts
= Fewer Problems!*

Safe Lock Solutions
Made in Kentucky, USA with Global Parts





QSecurityIndustries.com
QSecurityProducts.com
QSecurityEducation.com
QTactical.com

**With over 70 years of industry experience, QSecurity Industries brings a legacy of expertise.
We encompass manufacturing, distribution, research and development, and training.**

About QSecurity Industries...

QSecurity is the new name for a decades-old security technologies and education company headquartered in Nicholasville, Kentucky and owned by Clay Miller and Wes Day. We are the manufacturer of NL Lock high security electronic safe locks for safes, vaults, ATM's, cash recyclers and money-handling equipment. Our innovation, design and product engineering are unmatched. Because our locks have fewer parts, they also have fewer problems. We offer lock bodies that provide a high level of security as well as keypads in innovative designs and finishes. QSecurity Industries has taken NL Lock under wing, relocating all assembly, production, quality control, order fulfillment and administration from Torrance, CA and the Netherlands to the 22,000 sq. ft. Kentucky facility, which now serves as the headquarters for all QSecurity Industries divisions.

NL Lock was formed 20+ years ago by the late Nick Gartner, famed inventor & founder of the LaGard lock company. After selling his interest in LaGard, Nick founded NL in the Netherlands. Products were manufactured in Europe and sold in the European market under the NL name. In the U.S. they were marketed and sold under the LpLocks brand. In early 2023, Nick and Clay, both industry veterans and friends, entered into discussions regarding the future of NL Lock. In late August of 2023, Nick transferred all NL Lock company assets to QSecurity Industries. Today, Clay and the staff of seasoned professionals are honored to carry on the legacy of incredible innovations by Nick Gartner, while moving ever forward with the next generation of high security technology.



QSecurity Industries is proud to have LockNet,
Sargent & Greenleaf, Lockmasters® and
MBAUSA as local neighbors.

859•241•2063
1014 South Main Street
Nicholasville, Kentucky 40356

DALLAS KEY CAPABLE



KEYPADS

Premier
PI20-Dx

Premier II
PI80-Nx

ThinPut
TH20-D6

EasyTouch
ET20-Dx

QuickTouch
QT20-N3

Premier Vision
TE20-Dx

LOCKS

Page 4



UR40-XX

Universal
RotoBolt

Page 5



EM20-XX

Large
RotoBolt

Page 6



EM35-XX

Straight Bolt

Page 7



EM30-XX

MotorDrive
Lock

Page 9

Page 10

Page 11

Page 12

Page 13

Page 14-15

ON BOARD SOFTWARE FEATURES Page 8

ACCESSORIES Page 16

The Optional Dallas Key can be used as a dual credential when used with the User code or it can be used to download the 100 or 200 event audit trail.

Universal RotoBolt

UR40•XX



UL Type 1
VdS EN1300 Class B



This innovative design offers 8-way flexibility in installation. The Universal may be mounted either RH, LH, VU or VD or it may be flipped over to block a reversed boltwork design. The lock body does not mount directly behind the keypad, offering a higher level of security. Ships standard with our Basic board (UR40•20), but may be ordered with a DIA (UR40•50), DIA Pro (UR40•55) or Digital board (UR40•60).

Works With:

PI20•Dx
Premier

PI80•Nx
Premier II


TH20•D6
ThinPut



ET20•Dx
EasyTouch

QT20•N3
QuickTouch

TE20•Dx
Premier Vision



Fewer Parts = Fewer Problems!



Large RotoBolt

EM20•xx



UL Type 1
VdS EN1300 Class B



Like the Universal, this innovative design offers 8-way flexibility in installation, but fits the industry standard “Magic Module.” The EM20 may be mounted either RH, LH, VU or VD or it may be flipped over to block a reversed boltwork design. Ships standard with our Basic board (EM20•20), but may be ordered with a DIA (EM20•50), DIA Pro (EM20•55) or Digital board (EM20•60).

Works With:

PI20•Dx
Premier



PI80•Nx
Premier II



TH20•D6
ThinPut




ET20•Dx
EasyTouch



QT20•N3
QuickTouch



TE20•Dx
Premier Vision



Fewer Parts = Fewer Problems!



Straight Bolt

EM35•xx



UL Type 1
VdS EN1300 Class B



Comparable to traditional deadbolt-style safe locks, the EM35 fits the industry standard "Magic Module," employing a spindle to transmit motion from rotating keypad to lock body, thereby retracting the lock bolt. The exception is - when coupled with an EasyTouch keypad - the keypad is stationary, with the central knob retracting the lock bolt. The end of the lock bolt is drilled to accept lock bolt extensions. Included spindle accommodates a 5" door thickness. Longer spindles are available. Ships standard with our Basic board (EM35•20), but may be ordered with a DIA (EM35•50), DIA Pro (EM35•55) or Digital board (EM35•60).

Works With:

PI20•Dx
Premier




TE20•Dx
Premier Vision



TH20•Dx
THinPut



ET20•Dx
EasyTouch



Fewer Parts = Fewer Problems!



MotorDrive Lock

EM30•xx



The EM30 fits the industry standard “Magic Module” and may be mounted either RH, LH, VU or VD. The end of the lock bolt is drilled to accept lock bolt extensions, providing additional customization options. May be ordered with either a DIA (EM30•50), DIA Pro (EM30•55) or Digital Board (EM30•60).



Works With:

PI20•Dx
Premier

PI80•Nx
Premier II


TH20•D6
ThinPut



ET20•Dx
EasyTouch

QT20•N3
QuickTouch

TE20•Dx
Premier Vision



VdS EN1300
Class B



Fewer Parts = Fewer Problems!





Analog / Digital On Board Software Features

	BASIC	DIA	DIA Pro	LOCK+	DIGIPRO	DIGI
Digital Keypad	---	---	---	TE20-xx(30D)	TE20-xx(30A)	TE20-xx(30B)
Lock Part # Suffix	•20	•50	•55	•60	•60	•60
Users	1	9 (8)	Up to 39 (30)	up to 38 (34)	up to 38 (34)	up to 34 (30)
TD Override Users	---	0 (1)	0 (9)	0 (4)	0 (4)	0 (4)
Master	---	---	1 (optional)	1 (8-digit)	1 (8-digit)	1 (8-digit)
Service	---	---	---	1 (optional)	1 (optional)	1 (optional)
Manager	1	1	1	1	1	1
Time Delay (TD)	0-99 min	0-99 min	0-99 min	0-99 min	0-99 min	0-99 min
Open Window	1-19 min	1-19 min	1-19 min	1-19 min	1-19 min	1-19 min
Dual Control Mode	---	●	●	●	●	●
Daylight Saving Time (DST)	---	---	---	●	●	---
Time Lock	---	---	---	●	●	---
Weekly Program	---	---	---	1	1	---
Immediate Time Lock	---	---	---	●	●	---
Silent Alarm	---	● w/Alarm Box	● w/Alarm Box	● w/Alarm Box	● w/Alarm Box	● w/Alarm Box
Remote Disable Input	---	● w/Alarm Box	● w/Alarm Box	● w/Alarm Box	● w/Alarm Box	● w/Alarm Box
Audit Trail (# of Events)	---	100	200	2000	2000	---
Dallas Key / iButton	---	●	●	---	---	---
OLED Screen	---	---	---	●	●	●
BlueLE Module	---	---	---	●	---	---
OneTime Code (OTC)	---	---	---	●	---	---
Wrong Try Attempts	4	4	4	4	4	4
Penalty Lockout Time	5 min	5 min	5 min	5 min	5 min	5 min
Qnetic Cloud compatible	---	---	---	●	---	---
Mobile App Support	---	---	---	●	---	---
Code Length	6 Digits	6-8 Digits	8 Digits	6-8 Digits	6-8 Digits	6-8 Digits
Dual Control OTC Option	---	---	---	●	---	---
Hotel Mode		MotorDrive Only				
Mute Keypad Mode		●				

Premier Keypad

PI20•Dx



The new and improved Premier PI20-Dx can now be mounted either as a rotating or stationary keypad – no additional parts needed. Featuring integrated LED lights for low-light conditions, this versatile design is available in a variety of finishes, and now also in METAL! Mounts on horizontally-oriented mounting holes. See MA-2 (*Accessories page 16*) for vertical screw patterns. 9V battery access is via a sliding door at the keypad base. Stocked in ABS

Black Velvet, Bright Chrome, Textured Black or Satin Chrome metal. Black Pearl and other custom finish quotes available on request.

Works With: EM20 Large RotoBolt, EM30 MotorDrive Lock, EM35 Straight Bolt, UR40 Universal RotoBolt



Premier II Keypad

PI80•Nx



The Premier II is the latest in the Premier Keypad series. This keypad can be mounted to either vertical or horizontal mounting holes – no additional parts required. The Premier II features integrated LED lights for effective use in low-light conditions. Battery access is via a convenient pull-down drawer, eliminating the need for cable attachment at battery terminals. Stocked in ABS Black Velvet or Bright Chrome and now in Satin Chrome metal. Non-rotating, not for use with EM35-xx.



Works With:

UR40
Universal
RotoBolt

EM20
Large
RotoBolt

EM30
MotorDrive
Lock



Fewer Parts = Fewer Problems!



THinPut Keypad

TH20•D6



This discreet and low-profile design is an ideal solution for wall safes and inner compartment doors. THinPut can be used with a Dallas key by simply removing the cover on the face of the keypad (for locks with DIA boards). Features integrated LED lights for effective use in low-light conditions. THinPut requires either our 9V Battery Box (N7010) or one of our optional power regulator boxes (see *Accessories* page 16) for wiring to external power sources. To ensure uninterrupted functionality during low battery situations or power outages, a 9V battery may be temporarily connected to the strategically placed 9V contacts at the keypad base. Requires no additional parts to convert from fixed keypad to rotating for use with our EM35 Straight Bolt lock. Mounts on horizontal mounting holes, or optional MA2 (see *Accessories* page 16) may be used for vertical mounting holes. Stocked in Black Textured finish.



Battery Box N7010

External Power Source or
Battery Box Required



Works With:

UR40
Universal
RotoBolt

EM20
Large
RotoBolt

EM30
MotorDrive
Lock

EM35
Straight
Bolt



EasyTouch Keypad

ET20•Dx



**Great for
Corporate
Customization**



The EasyTouch Keypad is a versatile option, offering the flexibility of use with or without a rotating knob (included). When used without the knob, the front face of the keypad provides an excellent space for customization. The angled keypad enhances convenience both for viewing numbers and for secure code input. Mounts to either horizontal or vertical screw patterns – no additional parts needed. Stocked with Black or Chrome housing. Ships with both knob and flat plate.



Works With: EM20 Large RotoBolt Lock, EM30 MotorDrive Lock, EM35 Straight Bolt

UR40 Universal RotoBolt



Fewer Parts = Fewer Problems!



QuickTouch Keypad

QT20•N3



The QuickTouch Keypad presents a user-friendly design with top reading and effortless code input. Ideal for under-counter equipment or corporate decor, it is available in Black Velvet and features integrated LEDs for effective use in low-light conditions. The front face offers ample space for customization, and the non-rotating keypad provides easy access to the 9V battery through a convenient sliding drawer. Mounts only to horizontally-oriented screw holes. Not for use with our EM35 StraightBolt lock.



**Now Available
with Backlit Keypad**

Works With:

UR40
Universal
RotoBolt



EM20
Large
RotoBolt



EM30
MotorDrive
Lock



Fewer Parts = Fewer Problems!



Premier Vision

TE20•Dx 30A/B/D



The Premier Vision is for use with our line of digital locks. Three levels of features are offered: Lock+(D), DigiPro (A) and DigiBasic (B). See the chart (Page 8) for details. If you have questions about which version is right for your application, consult a member of our sales team. 9V battery access is via a sliding door at the keypad base. No additional parts needed to convert to rotating for use with our EM35-60. Stocked in ABS Black Velvet or Bright Chrome, and now in Satin Chrome metal.



Works With:

	EM20	EM30	EM35
UR40	Large	MotorDrive	Straight
Universal	RotoBolt	Lock	Bolt
RotoBolt			



Fewer Parts = Fewer Problems!




Ideal for ATM Vault Service Management and Cash intensive retail chains and anywhere contractor or employee access control is required



Key Features:

- One-Time-Code (OTC) Generation and Distribution from a central web-based portal
- Cell phones, tablets, desktop computers or laptops
- Link to LockPlus via Bluetooth
- Verify Open and Closed Seals
- Prevents secondary safe opening until Closed Seal received
- Disable and authorize Users via portal
- Maintains in-depth audit with time, date and user information
- Online and offline operation
- Unlimited # of Users
- Scheduled, time-limited and date-based access control
- No power or data wiring needed
- Two Year Warranty
- Components sourced from allied countries
- Assembled and rigorously tested in Kentucky, USA
- Android and iOS applications
- Mac & PC support



Works With: EM20 Large RotoBolt
EM30 MotorDrive Lock
EM35 Straight Bolt
UR40 Universal RotoBolt



N7060 Battery/Alarm Box for DIA Locks



Enables remote disable and duress functions when tied to facility alarm panel

N7010 Auxiliary Battery Box



Holds one 9v battery

N7050 Reset Box for DIA Locks



Allows recovery of factory settings

AS10-65

Digital Alarm Interface Box

Enables remote disable and duress functions when tied to facility alarm panel



N8040

Battery Box for Universal Lock

Enables ThinPut keypad use with Universal locks



N4003 Power Regulator Box

Enables lock operation on 12-24VDC (except Universal UR20/40)

W024

Rotating Adapter Kit

Includes P170 & P171
For use with our legacy Premier Keypads



MA-2 Mounting Adapter Plate

For use with Premier Keypads on safes with mounting holes at 12 o'clock & 6 o'clock.



Genesis Key Cutting Machine Q80•20

Genesis is a revolutionary 4-axis key blank creation machine. It was built from the ground up for government, military and law enforcement use in key blank design and fabrication.

Genesis can cut key blanks for the majority of locks out of one solid brass slug. These blanks are made from an ultra-soft brass alloy which is ideal for key cutting and impressing. The blanks require minimal secondary work; not only does Genesis cut the profiling; it also cuts the tip and any necessary chamfering.

- Highly Portable
- Worldwide Compatibility
- Lock Photo Identification
- Powerful, Simple Software
- Key Imager Integration



Combi+ Manipulator Q8030

This highly capable machine can open most mechanical safe locks. Average opening time is 60-90 minutes.

The Combi + is easily installed, controlled via tablet and user friendly, walking the user through each step of the process.

It can open many different styles of 3 and 4 wheel safe locks including UL-Listed Group II and other non-UL Listed mechanical safe locks.



Combi QX3 Autodialer Q8035

Combi QX3 is a high speed, wirelessly-controlled safe lock dialer for opening Group 2 mechanical combination locks.

Combi QX3 uses a precision step motor with an optical encoder to maintain accuracy even at exceptionally high speeds.

This, combined with carefully designed dialing algorithms, allows Combi Qx3 to open standard three-wheel combination locks in an average of 8 hours.





QSecurity Education is built on a foundation of Tradition and Excellence. Since 1955, the Miller family has been committed to delivering outstanding customer service and technical support, earning a reputation as leaders in the security field. We proudly continue this legacy today. We take pride in our leadership in safe and lock training. Our instructors are highly experienced technicians with decades of hands-on knowledge, eager to share their expertise in our immersive training. Our training approach blends tabletop skill development with practical exercises to ensure a well-rounded learning experience. Additionally, our administrative team is well-versed in managing government contracts and ensuring compliance with state and federal regulations.

Courses:

GSA Inspector & Technician Certification

Kaba Mas CDX-10 Certification

Kaba Mas X-10 Certification

Government Safe Locks

Locksmithing I: Locks & Keys

Locksmithing II: Doors & Hardware

Lock Forensics

or let us design a course for your group



QSecurityEducation.com



**2025
CATALOG**



859•241•2063

sales@QsecurityProducts.com

1014 South Main Street • Nicholasville, Kentucky 40356

Manufacturing

At QSecurity Products, our goal is to make high quality, high security products that work! For a long...long....time. Every step of the way, from design to completion, leading industry veterans are hands-on. We've sourced the best possible materials and components from the USA and Allied countries, made to OUR specifications, and it's here in Kentucky where it all comes together. Though our product lineup is extensive, stay tuned - we have still greater advancements in the works!

Innovative. Elegant. Simplified High Security.



QSecurityProducts.com