

Combi QX3 Autodialer (Q8035)



8 Hour Average Opening Time

Combi QX3 uses a precision step motor with an optical encoder to maintain accuracy even at exceptionally high speeds. This, combined with carefully designed dialing algorithms, allows Combi Qx3 to open standard three-wheel combination locks in an average of 8 hours.

Compatible with Many Lock Types

Combi QX3 includes a custom, lightweight, non-marring chuck which accommodates standard dials of virtually any size. Four-wheel locks are also supported, as well as different sized dial rings and dial configurations.



Tablet Included

Combi QX3 is controlled wirelessly via Bluetooth. All settings and controls are accessible in a powerful, incredibly easy to use app on the included tablet. The safe technician may use the app to select particular dialing ranges, step increments, dialing speeds, and other parameters.

The app also allows additional advanced functionality. For example, the tablet may automatically lock the safe and send a notification email once the correct combination has been found.



Complete Technical Specifications and Features List

Combi QX3 comes complete with the following:

- Combi QX3 Autodialer and Power Adapter
- Configurable Base Plate
- Variable Non-Marring Chuck
- Tablet (App Preinstalled)
- Carrying Case an Installation Accessories

Technical Specifications:

- Autodialer Power Requirements: 100 240 VAC 50/60Hz
- Supported Locks: Standard 3 and 4 wheel Group 2
- Supported Dial Diameter: 1 1/4 in to 3 1/8 in
- Supported Dial Height: 1 in to 1 3/4 in
- Maximum Dial Ring Size: 3 7/8 in
- Tablet Included
- Email Requirements: Must be configured with existing email account (Gmail or similar) and tablet must be connected to the Internet via WiFi
- Opening Time: 8 hour average time for 3-wheel locks
- Tablet Range: Tablet must stay within 20-30 ft of autodialer to maintain connection

Features List:

- Save and recall lock parameters (forbidden zone, contact points, etc)
- Wheel incrementing and offset variable per wheel
- Scramble dial after opening lock
- Password protected interface
- Email notification status
- Dial tryout combinations or custom combination lists
- Pause and resume dialing
- Twice as fast as other commercially available dialers
- Provides feedback on operating time, time to complete range of combinations, and number of combinations remaining
- Easy to set up in less than a minute
- Variable motor speed
- Combination preview list generation
- Historical data logging for review (may be cleared)
- High strength magnetic base plate

QSecurityIndustries.com